

L Number	Hits	Search Text	DB	Time stamp
-	6	((@ad<=20000320 or @rlad<=20000320) and ((operand or instruction) near4 replac\$4) and (resolv\$4 near4 (symbol\$4 adj2 reference))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 12:05
-	9	((@ad<=20000320 or @rlad<=20000320) and ((operand or instruction) near4 (replac\$4 or substitut\$4)) and (resol\$6 near4 (symbol\$4 adj2 reference))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 18:07
-	2	6,308,317.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 11:52
-	2	5,367,685.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 12:02
-	6	((dynamic or runtime or interpreter) near4 (symbol\$3 adj3 referenc\$4)) same ((field or stor\$5) near5 (result or value or numeric or address or replacement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 12:05
-	4	((dynamic or runtime or interpreter) near4 (symbol\$3 adj3 referenc\$4)) same ((field or stor\$5) near5 (result or value or numeric or address or replacement))) and (@ad<=20000320 or @rlad<=20000320)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 12:23
-	5	("5303392" "5367685" "5553286" "5724590" "5778231").PN.	USPAT	2004/05/29 12:11
-	185	(717/\$ or 714/\$ or 712/\$ or (symbol near2 referenc\$4).clm.) and ((group\$4 or organiz\$5 or partition\$4 or divid\$4 or collecti\$3) near4 ((instructions or operand) near3 type))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 14:23
-	164	((717/\$ or 714/\$ or 712/\$ or (symbol near2 referenc\$4).clm.) and ((group\$4 or organiz\$5 or partition\$4 or divid\$4 or collecti\$3) near4 ((instructions or operand) near3 type))) and (@ad<=20000320 or @rlad<=20000320) and (symbol or external or reference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 12:57
-	5	((717/\$ or 714/\$ or 712/\$ or (symbol near2 referenc\$4).clm.) and ((group\$4 or organiz\$5 or partition\$4 or divid\$4 or collecti\$3) near4 ((instructions or operand) near3 type))) and (@ad<=20000320 or @rlad<=20000320) and (symbol or external or reference)) and (resol\$6 near5 reference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 14:24
-	279	((Virtual adj2 Machine) or (constant adj pool)) and ((classif\$5 or group\$4 or stor\$4 or table) near4 ((instruction or operand or method) near3 (category or name or family or type)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 16:19
-	16	((717/\$ or 714/\$ or 712/\$ or (symbol near2 referenc\$4).clm.) and ((group\$4 or organiz\$5 or partition\$4 or divid\$4 or collecti\$3) near4 ((instructions or operand) near3 type))) and (@ad<=20000320 or @rlad<=20000320) and (symbol or external or reference)) and ((Virtual adj2 Machine) or (constant adj pool)) and ((classif\$5 or group\$4 or stor\$4 or table) near4 ((instruction or operand or method) near3 (category or name or family or type))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 12:53

-	16	(((((717/\$ or 714/\$ or 712/\$ or (symbol near2 referenc\$4).clm.) and (((group\$4 or organiz\$5 or partition\$4 or divid\$4 or collecti\$3) near4 ((instructions or operand) near3 type))) and (@ad<=20000320 or @rlad<=20000320) and (symbol or external or reference)) and (((Virtual adj2 Machine) or (constant adj pool)) and ((classif\$5 or group\$4 or stor\$4 or table) near4 ((instruction or operand or method) near3 (category or name or family or type)))))) and (@ad<=20000320 or @rlad<=20000320)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 14:23
-	2	(717/\$ or 714/\$ or 711/\$ or 707/\$ or 709/\$) and (virtual adj machine) and ((reference near4 resol\$6) adj2 result)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 13:28
-	26	(group\$5 near4 ((operand or method or instruction) near3 type)) and ((constant adj pool) or (symbol\$2 near3 (reference or resol\$6)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:46
-	18	((group\$5 near4 ((operand or method or instruction) near3 type)) and ((constant adj pool) or (symbol\$2 near3 (reference or resol\$6))) and (@ad<=20000320 or @rlad<=20000320)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 14:01
-	5	("5303392" "5367685" "5553286" "5724590" "5778231").PN.	USPAT	2004/05/29 14:18
-	323	((symbol or relocation) near3 table) and (size near2 field)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 14:22
-	267	((symbol or relocation) near3 table) and (size near2 field)) and (@ad<=20000320 or @rlad<=20000320)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 14:46
-	144	(717/\$ or 714/\$ or 712/\$ or (symbol near2 referenc\$4).clm.) and (((symbol or relocation) near3 table) and (size near2 field)) and (@ad<=20000320 or @rlad<=20000320))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 14:23
-	49	((717/\$ or 714/\$ or 712/\$ or (symbol near2 referenc\$4).clm.) and (((symbol or relocation) near3 table) and (size near2 field)) and (@ad<=20000320 or @rlad<=20000320))) and (resol\$6 near5 reference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 14:52
-	11	(((((717/\$ or 714/\$ or 712/\$ or (symbol near2 referenc\$4).clm.) and (((symbol or relocation) near3 table) and (size near2 field)) and (@ad<=20000320 or @rlad<=20000320))) and (resol\$6 near5 reference)) and (resolution near3 (result\$5 or value or address or operand))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 14:33
-	5	(((((717/\$ or 714/\$ or 712/\$ or (symbol near2 referenc\$4).clm.) and (((symbol or relocation) near3 table) and (size near2 field)) and (@ad<=20000320 or @rlad<=20000320))) and (resol\$6 near5 reference)) and (resolution near3 (result\$5 or value or address or operand))) not Sites.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 14:33
-	2727	((717/105,139,140,143,147,148,152,162) or (712/209,228) or (707/103R)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:23

-	0	((717/105,139,140,143,147,148,152,162) or (712/209,228) or (707/103R)).CCLS.) and (((symbol or external) near4 resolution) same ((result or value) near5 (memory or table or stor\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 14:46
-	26	(((symbol or external) near4 resolution) same ((result or value) near5 (memory or table or stor\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 14:46
-	21	((((symbol or external) near4 resolution) same ((result or value) near5 (memory or table or stor\$4)))) and (@ad<=20000320 or @rlad<=20000320)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:02
-	14	(US-RE36204-\$ or US-5367685-\$ or US-5999732-\$ or US-6382846-\$ or US-RE38104-\$ or US-5553286-\$ or US-6308317-\$ or US-6003038-\$ or US-5093784-\$ or US-5488714-\$ or US-4514804-\$ or US-6487713-\$ or US-6609248-\$ or US-6317872-\$).did.	USPAT	2004/05/29 14:47
-	21	((((symbol or external) near4 resolution) same ((result or value) near5 (memory or table or stor\$4)))) and (@ad<=20000320 or @rlad<=20000320)) not ((US-RE36204-\$ or US-5367685-\$ or US-5999732-\$ or US-6382846-\$ or US-RE38104-\$ or US-5553286-\$ or US-6308317-\$ or US-6003038-\$ or US-5093784-\$ or US-5488714-\$ or US-4514804-\$ or US-6487713-\$ or US-6609248-\$ or US-6317872-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 14:47
-	1	(((717/\$ or 714/\$ or 712/\$ or (symbol near2 referenc\$4).clm.) and ((group\$4 or organiz\$5 or partition\$4 or divid\$4 or collecti\$3) near4 ((instructions or operand) near3 type))) and (@ad<=20000320 or @rlad<=20000320) and (symbol or external or reference)) and (((Virtual adj2 Machine) or (constant adj pool)) and ((classif\$5 or group\$4 or stor\$4 or table) near4 ((instruction or operand or method) near3 (category or name or family or type)))) and (@ad<=20000320 or @rlad<=20000320) and (resol\$6 near5 reference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:02
-	4	((((symbol or external) near4 resolution) same ((result or value) near5 (memory or table or stor\$4)))) and (@ad<=20000320 or @rlad<=20000320)) not ((US-RE36204-\$ or US-5367685-\$ or US-5999732-\$ or US-6382846-\$ or US-RE38104-\$ or US-5553286-\$ or US-6308317-\$ or US-6003038-\$ or US-5093784-\$ or US-5488714-\$ or US-4514804-\$ or US-6487713-\$ or US-6609248-\$ or US-6317872-\$).did.)) and (resol\$6 near5 reference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 14:59
-	1549	((stor\$4 or add\$4 or record\$4) near4 (value or address or operand or numeric or number or result\$3)) same ((symbol or resol\$6) near5 reference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:06
-	527	((stor\$4 or add\$4 or record\$4) near4 (value or address or operand or numeric or number or result\$3)) same ((symbol or resol\$6) near5 reference)) and (resol\$6 near5 reference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:02

-	408	(((((stor\$4 or add\$4 or record\$4) near4 (value or address or operand or numeric or number or result\$3)) same ((symbol or resol\$6) near5 reference)) and (resol\$6 near5 reference)) and (@ad<=20000320 or @rlad<=20000320)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:07
-	31	(((((stor\$4 or add\$4 or record\$4) near4 (value or address or operand or numeric or number or result\$3)) same ((symbol or resol\$6) near5 reference)) and (resol\$6 near5 reference)) and (@ad<=20000320 or @rlad<=20000320)) and ((717/105,139,140,143,147,148,152,162) or (712/209,228) or (707/103R)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:03
-	23	(((((stor\$4 or add\$4 or record\$4) near4 (value or address or operand or numeric or number or result\$3)) same ((symbol or resol\$6) near5 reference)) and (resol\$6 near5 reference)) and (@ad<=20000320 or @rlad<=20000320)) and ((717/105,139,140,143,147,148,152,162) or (712/209,228) or (707/103R)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:03
-	177	not ((US-RE36204-\$ or US-5367685-\$ or US-5999732-\$ or US-6382846-\$ or US-RE38104-\$ or US-5553286-\$ or US-6308317-\$ or US-6003038-\$ or US-5093784-\$ or US-5488714-\$ or US-4514804-\$ or US-6487713-\$ or US-6609248-\$ or US-6317872-\$).did.)		
-	177	(((((stor\$4 or add\$4 or record\$4) near4 (value or address or operand or numeric or number or result\$3)) same ((symbol or resol\$6) near5 reference)) and (resol\$6 near5 reference)) and (@ad<=20000320 or @rlad<=20000320)) and (((stor\$4) near4 (value or address or operand or result\$3)) same ((resol\$6) near5 reference)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:06
-	177	(((((stor\$4 or add\$4 or record\$4) near4 (value or address or operand or numeric or number or result\$3)) same ((symbol or resol\$6) near5 reference)) and (resol\$6 near5 reference)) and (@ad<=20000320 or @rlad<=20000320)) and (((stor\$4) near4 (value or address or operand or result\$3)) same ((resol\$6) near5 reference))) and (@ad<=20000320 or @rlad<=20000320)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:41
-	20	(US-RE36204-\$ or US-5367685-\$ or US-5999732-\$ or US-6382846-\$ or US-RE38104-\$ or US-5553286-\$ or US-6308317-\$ or US-6003038-\$ or US-5093784-\$ or US-5488714-\$ or US-4514804-\$ or US-6487713-\$ or US-6609248-\$ or US-6317872-\$ or US-6363523-\$ or US-6542167-\$ or US-6564223-\$ or US-6499095-\$ or US-6446084-\$ or US-6275830-\$).did.	USPAT	2004/05/29 15:23
-	4290	((717/105,139,140,143,147,148,152,162) or (712/209,228) or (707/103R,200)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 16:12

-	20	(US-RE36204-\$ or US-5367685-\$ or US-5999732-\$ or US-6382846-\$ or US-RE38104-\$ or US-5553286-\$ or US-6308317-\$ or US-6003038-\$ or US-5093784-\$ or US-5488714-\$ or US-4514804-\$ or US-6487713-\$ or US-6609248-\$ or US-6317872-\$ or US-6363523-\$ or US-6542167-\$ or US-6564223-\$ or US-6499095-\$ or US-6446084-\$ or US-6275830-\$).did.	USPAT	2004/05/29 15:29
-	3	((US-RE36204-\$ or US-5367685-\$ or US-5999732-\$ or US-6382846-\$ or US-RE38104-\$ or US-5553286-\$ or US-6308317-\$ or US-6003038-\$ or US-5093784-\$ or US-5488714-\$ or US-4514804-\$ or US-6487713-\$ or US-6609248-\$ or US-6317872-\$ or US-6363523-\$ or US-6542167-\$ or US-6564223-\$ or US-6499095-\$ or US-6446084-\$ or US-6275830-\$).did.) and (Shaylor or Sexton).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:39
-	1	6275830.URPN.	USPAT	2004/05/29 15:34
-	9	("5418949" "5675790" "5721858" "5784698" "5784699" "5784707" "5838980" "5897661" "5974424").PN.	USPAT	2004/05/29 15:35
-	362	(table or buffer or memory or array) near4 (stor\$5 near5 ((resolution or link\$3) adj5 (value or result)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:40
-	1	((table or buffer or memory or array) near4 (stor\$5 near5 ((resolution or link\$3) adj5 (value or result)))) and (@ad<=20000320 or @rlad<=20000320) and ("symbol table" or "constant pool")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 16:19
-	1	((table or buffer or memory or array) near4 (stor\$5 near5 ((resolution or link\$3) adj5 (value or result)))) and (@ad<=20000320 or @rlad<=20000320) and ((symbol adj table) or (constant adj pool))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:42
-	3	(group\$5 near4 ((operand or method or instruction) near3 type)) and ((US-RE36204-\$ or US-5367685-\$ or US-5999732-\$ or US-6382846-\$ or US-RE38104-\$ or US-5553286-\$ or US-6308317-\$ or US-6003038-\$ or US-5093784-\$ or US-5488714-\$ or US-4514804-\$ or US-6487713-\$ or US-6609248-\$ or US-6317872-\$ or US-6363523-\$ or US-6542167-\$ or US-6564223-\$ or US-6499095-\$ or US-6446084-\$ or US-6275830-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:48
-	0	(group\$5 near4 ((operand or method or instruction) near3 type)) and (reference near4 resolution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:49
-	12	((categor\$5 or stor\$4 or organi\$5) near4 ((operand or method or instruction) near3 type)) and (reference near4 resolution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:49
-	1	((categor\$5 or stor\$4 or organi\$5) near4 ((operand or method or instruction) near3 type)) and (reference near4 resolution)) and (@ad<=20000320 or @rlad<=20000320) and ("symbol table" or "constant pool")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 15:50

-	4698	((717/105,139,140,143,147,148,152,162) or (712/209,228) or (707/103R,200,103Y) or (345/762)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 16:17
-	28	((reus\$4 or stor\$4 or log\$5) near8 ((binding or linking and resolution) adj4 result)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 16:18
-	19	((reus\$4 or stor\$4 or log\$5) near8 ((binding or linking and resolution) adj4 result)) and (@ad<=20000320 or @rlad<=20000320)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 16:22
-	1	((reus\$4 or stor\$4 or log\$5) near8 ((binding or linking and resolution) adj4 result)) and (717/\$ or 707/\$ or 712/\$ or 345/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/29 16:23